

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

HARLAND et al Either 09/926,088 or 09/914,289 ?? Atty. Ref: 36-1505

Serial No.

Group:

National Phase of: PCT/GB00/00980

International Filing Date: 16 March 2000

Filed: August 27, 2001

Examiner:

For: COMPUTER SYSTEM

**RECEIVED**

JAN 29 2002

Technology Center 2100

\* \* \* \* \*

January 22, 2002

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

**SECOND URGENT REQUEST FOR  
CLARIFICATION/CORRECTION  
OF SERIAL NUMBER**

Since noticing a discrepancy in USPTO serial number assignments for this case and filing a first request for clarification on October 25, 2001 (copy attached), applicant has received no such clarification or correction.

Approximately three months have now passed since applicant requested clarification/correction of the serial number for this case. Recently, the undersigned has now received the recorded assignment document back and it was recorded against Serial No. 09/926,088. Does this mean that the "correct" serial number for this case is as stated on the assignment recordation notice?

HARLAND et al


- Serial No. Either 09/926,088 or 09/914,289 ??

Urgent clarification and/or correction of USPTO records is requested so that this case may avoid future difficulties with erroneous identification.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By:



Larry S. Nixon  
Reg. No. 25,640

LSN:vc  
1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100